
MED Series







* Standard equipment sockets, see Technical Data

Main applications:

- Construction
- Road works
- Industrial applications





| GENERATING SET | MED 4500 | MED 6500 |
|---|-----------------------------|-----------------------------|
| MAIN DATA | SINGLE PHASE | SINGLE PHASE |
| POWER RATING - SINGLE PHASE | kVA / kWe | kVA / kWe |
| STAND BY POWER-LTP | 3,7/3,7 | 5,2/5,2 |
| CONTINUOUS POWER - COP | 3,3/3,3 | 4,6/4,6 |
| VOLTAGE (Volt) | 120 / 240 | 120/240 |
| FREGUENCY (Hz) | 60 | 60 |
| POWER FACTOR (cos Φ) | 1 | 1 |
| ENGINE | | |
| BRAND | Yanmar | Yanmar |
| MODEL | L70N | L100N |
| FUEL | Diesel | Diesel |
| CYLINDERS / DISPLACEMENT (cc) | 1 vertical / 320 | 1 vertical /435 |
| COOLING SYSTEM | Air | Air |
| STARTING SYSTEM | Recoil | Recoil |
| SPEED (rpm) | 3600 | 3600 |
| CONSUMPTION | | |
| FUEL CONSUMPTION at 75% of load (L/h) | 1,09 | 1,79 |
| FUEL TANK CAPACITY (L) | 3,3 | 5,4 |
| RUNNING TIME at 75% of load (h) | 3,03 | 3,02 |
| OVERALL DIMENSIONS | | |
| LENGTH (mm) | 760 | 760 |
| WIDTH (mm) | 540 | 540 |
| HEIGHT (mm) | 560 | 560 |
| DRY WEIGHT (Kg) | 54 | 94 |
| STANDARD EQUIPMENT | | |
| TANK (Type) | Metal | Metal |
| SOCKETS | 1 x DPLX 120V NEMA 5-20R | 1 x DPLX 120V NEMA 5-20R |
| | 1 x TL 120/240V NEMA L14-20 | 1 x TL 120/240V NEMA L14-20 |
| | | |
| PROTECTIONS | | |
| ALTERNATOR PROTECTION (IP) | 23 | 23 |
| OPTIONALS | | |
| MTS-MANUAL TRANSFER SWITCH | 0 | 0 |
| TRANSPORTATION KIT With fixed handles | 0 | 0 |
| TRANSPORTATION KIT With folding handles | 0 | 0 |

o = Accessory available



www.masonsgenerators.com

MASONS DISTRIBUTOR IN YOUR AREA IS: